

# Live weight / slaughter weight (indicative)

Estimated live weight in kilograms, 0-14 days before delivery to desired slaughter weight. Use the schedule and follow up on the settlement from the slaughterhouse so that you deliver for optimal slaughter weight.

- The pigs have free access to feed and a daily gain of 1000 grams.
- Male pigs must weigh 1 kg. more to have the same slaughter weight as a female pigs, due to the removal of testicles.

Slaughter weight, kg	Live weight* on delivery day, kg	Live weight 4 days before delivery, kg	Live weight 5 days before delivery, kg	Live weight 6 days before delivery, kg	Live weight 7 days before delivery, kg	Live weight 14 days before delivery, kg
80	102	98	97	96	95	88
81	103	99	98	97	96	89
82	105	101	100	99	98	91
83	106	102	101	100	99	92
84	107	103	102	101	100	93
85	108	104	103	102	101	94
86	109	105	104	103	102	95
87	111	107	106	105	104	97
88	112	108	107	106	105	98
89	113	109	108	107	106	99
90	114	110	109	108	107	100
91	115	111	110	109	108	101
92	116	112	111	110	109	102
93	118	114	113	112	111	104
94	119	115	114	113	112	105
95	120	116	115	114	113	106
96	121	117	116	115	114	107
97	122	118	117	116	115	108
98	124	120	119	118	117	110
99	125	121	120	119	118	111
100	126	122	121	120	119	112
101	127	123	122	121	120	113
102	128	124	123	122	121	114
103	130	126	125	124	123	116
104	131	127	126	125	124	117
105	132	128	127	126	125	118
106	133	129	128	127	126	119
107	134	130	129	128	127	120
108	136	132	131	130	129	122
109	137	133	132	131	130	123
110	138	134	133	132	131	124

\* Live weight = 1.19 x slaughter weight + 7.01

Gældende fra 1. oktober 2019

